

1 Selection and daily occupancy of artificial retreat-sites by a declining
2 Mediterranean island specialist, the European leaf-toed gecko *Euleptes*
3 *europaea*.

4 JULIE QUESADA^{1,*}, VINCENT RIVIERE², MARC CHEYLAN³, ALBAN GUILLAUMET⁴

5 ¹ *Observatoire des Sciences de l'Univers de Rennes, Université de Rennes, Campus de*
6 *Beaulieu, 263 Avenue Général Leclerc, 35042 Rennes, France*

7 ² *AGIR écologique, 147 ancienne route d'Esparron, 83470 Saint Maximin la Sainte Baume,*
8 *France*

9 ³ *Ecole Pratique des Hautes Etudes, Paris Sciences Lettres University, 4-14 rue Ferrus, Paris,*
10 *France*

11 ⁴ *Department of Biological and Environmental Sciences, Troy University, Troy, AL 36082, USA.*

12 *Corresponding author. Email: juliequessada@gmail.com.

13

14

15 **SUPPLEMENTARY MATERIAL**

16

17

18 **Fig. S1.** Example of individuals marked for the CMR protocol.




19

20

21 **Fig. S2.** Diagnostics for the model that best explains *max_num*, the maximum number of
22 geckos observed in the ARS: geographical representation of the residuals of the best model
23 allowing a visual assessment of the spatial autocorrelation: If Island (A) and Grand Rouveau
24 Island (B). See text for explanations.

25




27

28

29

30 **Fig. S3.** Diagnostics for the model that best explains *max_num*, the maximum number of
31 geckos observed in the ARS: densities of observed and estimated maximum number
32 (*max_num*) values.

33



34